

ENGINEERING DATASHEET

EVEREADY BATTERY CO. Internet: www.energizer.com


1-800-383-7323 / USA 1-800-383-7323 / CANADA

+ 44 (0) 208 920 2306 / EUROPE

ENERGIZER NO. CR1632



Industry Standard Dimensions in mm (inches)



Chemical System: Lithium / Manganese Dioxide (Li/MnO₂)

Battery Voltage: 3.0 Volts

Average Weight: 1.8 grams (0.06 oz.)

Volume: 0.5 cubic centimeters (0.03 cubic inch)

Average Capacity: 130 mAh to 2.0 volts

(Rated at 15k ohms continuous at 21°C)

Maximum Reverse

Charge Current: 1 microampere

Energy Density: 209 milliwatt hr/g, 754 milliwatt hr/cc

TYPICAL DISCHARGE CURVE

Simulated Test @ 21°C (70°F)



Simulated Application Test Estimated Average Service at 21°C (70°F)

	Typical Drains		Cutoff Voltage
	at 2.9V	Load	
Schedule:	(microamperes)	(ohms)	2.0V
24 hours/day	190	15,000	710 Hours

Important Notice

This data sheet contains information specific to batteries manufactured at the time of its publication.

Contents herein do not constitute a warranty.

Copyright © Eveready Battery Co. Inc. - All Rights Reserved

Form No. EBC - 4126B Page 1 of 1