



GSD

KC-79-07 M06



STAMP: KINGS KC-79-07 M06
YRWK (DATE CODE)



NOTES:

1. INTERFACE PER MIL-STD-348, FIG. 301-2.
2. MATERIALS:
INSULATOR: TEFLON, ASTM-D-4894
CENTER CONTACT: BER. COP., ASTM-B-196
ALL OTHER METAL PARTS: BRASS, ASTM-B16
3. FINISHES:
BODY & RETAINING RING: KINGS TARNISH RESISTANT FINISH (TR-5)
CENTER CONTACT & PINS: SILVER PLATE PER QQ-S-365.
4. ELECTRICAL CHARACTERISTICS:
NOMINAL IMPEDANCE: 50 OHMS
FREQUENCY RANGE: DC TO 4 GHZ
WORKING VOLTAGE: 500 VRMS

REVISIONS

ISSUE	CHANGES
5	CN 29418 C AJ 11/24/87
6	CN 38203 E REDRAWN TML 02/15/01

KC7907S-M06

SCALE 4:1

APPROX SURFACE AREA

USED ON

REF:

RECP, BNC

DRAWN KOR DATE 04/10/80

DESIGN GINO DATE 04/29/80

APPR. DATE

KINGS
ELECTRONICS CO., INC.
ROCK HILL, SOUTH CAROLINA 29730

GSD

KC-79-07 M06