




# ATS Extrusion Profiles

## ATS PART # ATS-EXL20-300-R0

### Features & Benefits


- » Aluminum extrusions are the most cost-effective solution for the majority of electronic cooling applications
- » This extrusion profile has 12 fins
- » Extrusion type is straight fin, AL-6063
- » Surface area (in<sup>2</sup>/in) is 25.00



\*Image above is for illustration purposes only.

### Thermal Performance

#### HEAT SINK THERMAL RESISTANCE



### Product Details

LENGTH	WIDTH	HEIGHT	FIN SPACING	BASE THICKNESS	FINISH
304.8 mm	88.9 mm	21.59 mm	7.95 mm	5.08 mm	NONE

#### NOTES:

- 1) Thermal curve based on 76 mm length.
- 2) Thermal performance data are provided for reference only. Actual performance may vary by application.
- 3) ATS reserves the right to update or change its products without notice to improve the design or performance.
- 4) Contact ATS to learn about custom options available.



**ATS** ADVANCED  
THERMAL  
SOLUTIONS, INC.  
Innovations in Thermal Management®

**For more information, to find a distributor or to place an order, visit [www.Qats.com](http://www.Qats.com) or call: 781.769.2800 (North America); +31 (0) 3569 84715 (Europe).**