

## Data cable - PSM-KA 9 SUB 25/BB/2METER - 2761059

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



RS-232 cable, 9-pos. D-SUB socket 25-pos on D-SUB socket



### Key commercial data

Packing unit	1 pc
Weight per Piece (excluding packing)	190.0 GRM
Custom tariff number	85444290
Country of origin	Germany

### Technical data

#### Dimensions

Fixed cable length	2 m
--------------------	-----

#### General

Connection 1	D-SUB connection
Connection method	D-SUB-9 female connector
Number of positions	9
Connection 2	D-SUB connection
Connection method	D-SUB-25 female connector
Number of positions	25

### Classifications

#### eCl@ss

eCl@ss 4.0	27230207
eCl@ss 4.1	27230207
eCl@ss 5.0	27230207

# Data cable - PSM-KA 9 SUB 25/BB/2METER - 2761059

## Classifications

### eCl@ss

eCl@ss 5.1	27230207
eCl@ss 6.0	27230207
eCl@ss 7.0	27230207
eCl@ss 8.0	27060390

### ETIM

ETIM 2.0	EC001423
ETIM 3.0	EC001423
ETIM 4.0	EC001423
ETIM 5.0	EC000830

### UNSPSC

UNSPSC 6.01	30211506
UNSPSC 7.0901	39121008
UNSPSC 11	39121008
UNSPSC 12.01	39121008
UNSPSC 13.2	39121008

## Approvals

### Approvals

---

Approvals

GOST

---


Ex Approvals

---

Approvals submitted

---

### Approval details

GOST 
--

## Drawings

## Data cable - PSM-KA 9 SUB 25/BB/2METER - 2761059

Catalog photo



Figure may contain other products.

---

Phoenix Contact 2014 © - all rights reserved  
<http://www.phoenixcontact.com>